

DGWSS-16 PORT GSM/ALARM DVR/NVR/DVS 2516



Function OF DVR/NVR/DVS:

- DVR will send SMS & call to given 04 GSM number and PTCL number
 - 1) CAMERA ON/OFF
 - 2) POWER ON/OFF
 - 3) DVR ON/OFF
- AHD DVR
- HD DVR
- NVR
- GSM DVR
- DIGITAL VIDEO SERVER
- BATTERY BACK UP
- MOTION DETECTOR FOR ALARMING SYSTEM
- CMH SOFTWARE (Central Mointering System)
- HYBIRD DVR
 - Hybired Dvr It's a customize digital video server can be used of multiple purpose like DVR/HD DVR/AHD DVR NVR/Alarm System wired & wireless /Fix Alarm wired & wireless /Access Control for door
- Remotly Control home appliance can be oprate as like main door air condition, Fan, Lights, LCD/LED, Electric cooking item, Garden lights, main gate lights etc.

Product description:

Video access:04*D1/04*960P/04*1080P *Synchronous playback:4*D1/4*960P/4*1080P
Capacity: 16 wired+64 or 64 wireless+16 bus zones+**16 CH electric switch control**. Multi-functional TCP/IP control panel with DVR.SOS System & Access Control System

Video Function:

- Video access:16 *AHD/4*960P/4*1080P (**DGWSS-2516**)
- Synchronous playback:2*AHD/4*960P/2*1080P (**DGWSS-2516**)
- 16*AHD/6*960P/4*1080P (**DGWSS-2516**)
- Video Output: HDMI/VGA/IVDEO output.
- Capability: Preview/Recording/Playback/backup/Network Monitoring.
- Network Protocol: TCP/IP, DHCP, DDNS, PPPOE.
- Network Security: IP filter, Password Authentication.
- IPC Protocol: onvif 28181
- Motion detection alarm and detector intrusion alarm dual identification.
- Support 3G mobile video monitoring, and PTZ/Home appliance control.
- Support video and data directional transmission, facilitate networking.
- Support P2P Server
- Network Security: IP filter, password Authentication

Alarm Function (wired & wireless Alarm System):

Capacity16 wired+64 wireless+16 bus zones+08 CH electric switch control.

- Arm/Disarm mode: whole arm/disarm, 8 partitions arm/disarm, sole arm/disarm.
- Network communication: PSTN+GPRS+TCP/IP Triple in one.
- Tel-line communication: 2 CMS No. 4 voice phone No.2 free charge of arm/disarm no.
- GSM communication: 4 voice phone no. GSM SMS arm/disarm GPRS network communication.
- IP communication: IE program, remote upgrade, remote control, alarm networking.
- Remote program: GPRS TCP/IP dual data transmission remote program.
- Distinct function: voice prompt. Intercom, site monitoring, timing arm/disarm, online/offline report, Environmental monitoring. Smart home appliance.
- Extended function: relay linkage, PGM output

CMS software (central monitoring system):

- CMH Software can monitor health of Security system install at premises of one window.
- Minimal server requirements

- Supports video surveillance, GPS, video analytic, audio analytic, technology monitoring, burglar alarms, fire alarms, access control and many other technologies
- Definition of logical structure (monitoring zones, maps, buildings, command center structure)
- Full template support, for unlimited looks without changing a line of content
- A master session of CMH Software which provides password-protected, centralized control:
 - as like Device alert supervision and status Alert call management, staff notification, and call escalation
 - Controlled access and wander management
 - Network setup and device management
 - Reporting
- Easy wizard based install and upgrade procedures
- Content hierarchy with unlimited depth and size
- Integrated file manager w/ upload capabilities
- Easy user and group management

