

DGWSS-08 PORT GSM/ALARM DVR/NVR/DVS 2508



Function OF DVR/NVR/DVS:

➤ **DVR will send SMS & call to given 04 GSM number and PTCL number**

1) **CAMERA ON/OFF**

2) **POWER ON/OFF**

3) **DVR ON/OFF**

➤ **AHD DVR**

➤ **HD DVR**

➤ **NVR**

- **GSM DVR**
- **DIGITAL VIDEO SERVER**
- **BATTERY BACK UP**
- **MOTION DETECTOR FOR ALARMING SYSTEM**
- **CMH SOFTWARE (Central Mointering System)**
- **HYBIRD DVR**

Hybired Dvr It's a customize digital video server can be used of multiple purpose like DVR/HD DVR/AHD DVR NVR/Alarm System wired & wireless /Fix Alarm wired & wireless /Access Control for door

- **Remotly Control home appliance can be oprate as like main door air condition, Fan, Lights, LCD/LED, Electric cooking item, Garden lights, main gate lights etc.**

Product description:

Video access:08*D1/08*960P/08*1080P *Synchronous playback:8*D1/4*960P/8*1080P
Capacity: 08 wired+32 or 32 wireless+08 bus zones+**08 CH electric switch control**. Multi-functional TCP/IP control panel with DVR.

Video Function:

- Video access:08*AHD/08*960P/08*1080P (**DGWSS-2508**)
- Synchronous playback:2*AHD/8*960P/2*1080P (**DGWSS-2508**)
- 8*AHD/8*960P/8*1080P (**DGWSS-2508**)
- Video Output: HDMI/VGA/IVDEO output.

- Capability: Preview/Recording/Playback/backup/Network Monitoring.
- Network Protocol: TCP/IP, DHCP, DDNS, PPPOE.
- Network Security: IP filter, Password Authentication.
- IPC Protocol: onvif 28181
- Motion detection alarm and detector intrusion alarm dual identification.
- Support 3G mobile video monitoring, and PTZ/Home appliance control.
- Support video and data directional transmission, facilitate networking.
- Support P2P Server

- Network Security: IP filter, password Authentication

Alarm Function (wired & wireless Alarm System):

Capacity 08 wired+32 wireless+08 bus zones+08 CH electric switch control.

- Arm/Disarm mode: whole arm/disarm, 8 partitions arm/disarm, sole arm/disarm.
- Network communication: PSTN+GPRS+TCP/IP Triple in one.
- Tel-line communication: 2 CMS No. 4 voice phone No.2 free charge of arm/disarm no.
- GSM communication: 4 voice phone no. GSM SMS arm/disarm GPRS network communication.
- IP communication: IE program, remote upgrade, remote control, alarm networking.
- Remote program: GPRS TCP/IP dual data transmission remote program.
- Distinct function: voice prompt. Intercom, site monitoring, timing arm/disarm, online/offline report, Environmental monitoring. Smart home appliance.
- Extended function: relay linkage, PGM output

CMS software (central monitoring system):

- CMH Software can monitor health of Security system install at premises of one window.
- Minimal server requirements

- Supports video surveillance, GPS, video analytic, audio analytic, technology monitoring, burglar alarms, fire alarms, access control and many other technologies
- Definition of logical structure (monitoring zones, maps, buildings, command center structure)
- Full template support, for unlimited looks without changing a line of content
- A master session of CMH Software which provides password-protected, centralized control:
as like Device alert supervision and status Alert call management, staff notification, and call escalation • Controlled access and wander management • Network setup and device management • Reporting
- Easy wizard based install and upgrade procedures
- Content hierarchy with unlimited depth and size
- Integrated file manager w/ upload capabilities
- Easy user and group management

DIAGRAM:

