

## DGWSS-16 PORT GSM/ALARM DVR/NVR/DVS 2516



### **Function OF DVR/NVR/DVS:**

➤ **DVR will send SMS & call to given 04 GSM number and PTCL number**

1) **CAMERA ON/OFF**

2) **POWER ON/OFF**

3) **DVR ON/OFF**

➤ **AHD DVR**

➤ **HD DVR**

➤ **NVR**

➤ **GSM DVR**

➤ **DIGITAL VIDEO SERVER**

➤ **BATTERY BACK UP**

- **MOTION DETECTOR FOR ALARMING SYSTEM**
- **CMH SOFTWARE (Central Monitoring System)**
- **HYBIRD DVR**

**Hybired Dvr** It's a customize digital video server can be used of multiple purpose like **DVR/HD DVR/AHD DVR NVR/Alarm System wired & wireless /Fix Alarm wired & wireless /Access Control for door**

- **Remotly Control home appliance can be oprate as like main door air condition, Fan, Lights, LCD/LED, Electric cooking item, Garden lights, main gate lights etc.**

## **Product description:**

Video access:04\*D1/04\*960P/04\*1080P \*Synchronous playback:4\*D1/4\*960P/4\*1080P  
Capacity: 16 wired+64 or 64 wireless+16 bus zones+**16 CH electric switch control**. Multi-functional TCP/IP control panel with DVR.

## **Video Function:**

- Video access:16 \*AHD/4\*960P/4\*1080P ( **DGWSS-2516** )
- Synchronous playback:2\*AHD/4\*960P/2\*1080P ( **DGWSS-2516** )
- 16\*AHD/6\*960P/4\*1080P ( **DGWSS-2516** )
- Video Output: HDMI/VGA/IVDEO output.
- Capability: Preview/Recording/Playback/backup/Network Monitoring.
- Network Protocol: TCP/IP, DHCP, DDNS, PPPOE.
- Network Security: IP filter, Password Authentication.
- IPC Protocol: onvif 28181
- Motion detection alarm and detector intrusion alarm dual identification.

- Support 3G mobile video monitoring, and PTZ/Home appliance control.
- Support video and data directional transmission, facilitate networking.
- Support P2P Server
  
- Network Security: IP filter, password Authentication

### **Alarm Function (wired & wireless Alarm System):**

Capacity 16 wired + 64 wireless + 16 bus zones + 08 CH electric switch control.

- Arm/Disarm mode: whole arm/disarm, 8 partitions arm/disarm, sole arm/disarm.
- Network communication: PSTN+GPRS+TCP/IP Triple in one.
- Tel-line communication: 2 CMS No. 4 voice phone No. 2 free charge of arm/disarm no.
- GSM communication: 4 voice phone no. GSM SMS arm/disarm GPRS network communication.
- IP communication: IE program, remote upgrade, remote control, alarm networking.
- Remote program: GPRS TCP/IP dual data transmission remote program.
- Distinct function: voice prompt. Intercom, site monitoring, timing arm/disarm, online/offline report, Environmental monitoring. Smart home appliance.
- Extended function: relay linkage, PGM output

### **CMS software (central monitoring system):**

- CMH Software can monitor health of Security system install at premises of one window.
- Minimal server requirements
- Supports video surveillance, GPS, video analytic, audio analytic, technology monitoring, burglar alarms, fire alarms, access control and many other technologies
- Definition of logical structure (monitoring zones, maps, buildings, command center structure)
- Full template support, for unlimited looks without changing a line of content
- A master session of CMH Software which provides password-protected, centralized control:
  - as like Device alert supervision and status Alert call management, staff notification, and call escalation
  - Controlled access and wander management
  - Network setup and device management
  - Reporting

- Easy wizard based install and upgrade procedures
- Content hierarchy with unlimited depth and size
- Integrated file manager w/ upload capabilities
- Easy user and group management

